

# 1-Channel Drop-Over Linebacker® Cable Protector for 2.25" Lines, Orange - CP1X225-GP-DO-O

#### **Product Images**



#### **Short Description**

- Protects cables and hoses up to 2.25" outside dia.
- Patented T-Connectors to extend to any length
- Drop-over model
- All-weather polyurethane construction
- Modular interlocking design is lightweight and easy to transport, setup, disassemble, and store
- Quick solution to protect single runs of cable and hose lines

• Custom cable protectors are available. Get a quote here.

### **Description**

Sometimes, you don't need an entire set of protectors. You just need a quick way to ensure that people don't trip over your hoses or damage your cables. And that's where Linebacker comes in.

These drop-over cable protectors are constructed of all-weather polyurethane, designed to be durable, lightweight, and easy to transport, setup, disassemble and store.

Custom cable protectors can be made with different colors and embossed logos. **Get a quote with your specific requirements**.

Intended to protect cables and hoses with a diameter of up to 2.25", this protector is suited for both heavy-duty, high load-bearing operations as well as general-purpose use cases. And with its patented T-Connectors, it's capable of extending to any length, so your cables are covered no matter how far they go.

2

## **Specifications**

Model No	CP1X225-GP-DO-O
UPC	812958000564
Brand	Checkers Safety™
Color	Orange
Quantity Included	1
Pallet Quantity	51
Load Capacity Per Axle	23400 lbs
Load Capacity Per Tire	11700
Length (Inches)	38.5
Width (Inches)	14.25
Height (Inches)	3
Max Cable Outside Diameter (Inches)	2.25
Number of Channels	1-Channel
Connector Type	T-Connector Connector

### Prop 65

▲ WARNING: This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

12/12/25